

MATERIAL SAFETY DATA SHEET

Card N°:		
Identity (as used on label and list):		
PREDNI	SLONA 40 SYNTEX	
Active constituent: each tablet contains 40 mg of Prednisolone		
CAS Nr.:	50-24-8 (Prednisolone)	
Chemical Family:	Steroid antiinflammatory	
Manufacturer's Name, Address, Telephone: SYNTEX S.A. Luis de Sarro 501 - (B1838DQK) Luis Guillón - Buenos Aires (Argentina) Tel. (Plant): 0054-011- 42963762		

PHYSICAL /CHEMICAL CHARACTERISTICS

Appearance and odour:	pale beige tablet with dark spots.
Solubility in water:	n/f
Melting Point:	n/f
Specific Gravity (H ₂ O=1):	n/a



REACTIVITY DATA

Stability:	stable
------------	--------

Conditions to avoid: high temperature, humidity.

Packing and storage:

This product must not be stored at high temperatures or exposed to direct sunlight, other than this no special care need be taken during its packaging and transport.

Hazardous Decomposition or by-products: none.

Hazardous combustion by-products: none.

HEALTH HAZARD DATA

LD50 orally in mice, rats:	more than 1680 mg/Kg.
Adverse effects:	long-term exposition can cause eye and skin irritation. Inhalation may cause respiratory tract irritation.

Carcinogenicity:

not listed as a carcinogen.



FIRE AND EXPLOSION HAZARD DATA

Extinguishing Media: n/f

Special Fire Fighting Procedures: n/f

Accidental release measures: sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pick up is complete. (No special procedures).

Unusual Fire and Explosion Hazards: n/f

PRECAUTIONS FOR SAFE HANDLING AND USE

No special requirements.

MEDICAL CONDITIONS

Skin and eyes: quantities of water.	Eye: may cause iiritation; flush with copious
	Skin: flush with copious quantities of water.
Ingestion:	harmful is swallowed.
Inhalation:	Inhalation may cause allergic symptoms.
Other informations:	The above information is believed to be correct, but does not purport to be all inclusive and shall be used as a guide. Syntex shall not be held liable for any damage resulting from handling o for contact with the above product.